

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-MODUL-ROOM-LI L-WW**

Packaging specifications on request

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
<b>Light rope, warm white, flexibel, 18 x 10 mm, protection class IP 67, 24 V, 5 m supply cable, incl. power supply</b>			
<b>LMODE9200</b>	<b>MODUL-ROOM-LI L-WW 1800/2100</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 1800/2100 L</b> or <b>R</b> (page 18/19)	set	
<b>LMODE9201</b>	<b>MODUL-ROOM-LI L-WW 1800/2400</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 1800/2400 L</b> or <b>R</b> (page 20/21)	set	
<b>LMODE9202</b>	<b>MODUL-ROOM-LI L-WW 1800/2700</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 1800/2700 L</b> or <b>R</b> (page 22/23)	set	
<b>LMODE9203</b>	<b>MODUL-ROOM-LI L-WW 2100/2100</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 2100/2100 L</b> or <b>R</b> (page 24/25)	set	
<b>LMODE9204</b>	<b>MODUL-ROOM-LI L-WW 2100/2400</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 2100/2400 L</b> or <b>R</b> (page 26/27)	set	
<b>LMODE9205</b>	<b>MODUL-ROOM-LI L-WW 2100/2700</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 2100/2700 L</b> or <b>R</b> (page 28/29)	set	
<b>LMODE9206</b>	<b>MODUL-ROOM-LI L-WW 2100/3000</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-L 2100/3000 L</b> or <b>R</b> (page 30/31)	set	
<b>LMODE9207</b>	<b>MODUL-ROOM-LI L-WW 2400/2400-U</b> , 3x light rope, prefabricated to fit <b>MODUL-ROOM-U 2400/2400</b> (page 32/33)	set	
<b>LMODE9208</b>	<b>MODUL-ROOM-LI L-WW 2400/2400-P</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-P 2400/2400</b> (page 32/33)	set	
<b>LMODE9209</b>	<b>MODUL-ROOM-LI L-WW 2400/2700-U</b> , 3x light rope, prefabricated to fit <b>MODUL-ROOM-U 2400/2700</b> (page 34/35)	set	
<b>LMODE9210</b>	<b>MODUL-ROOM-LI L-WW 2400/2700-P</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-P 2400/2700</b> (page 34/35)	set	
<b>LMODE9211</b>	<b>MODUL-ROOM-LI L-WW 2400/3000-U</b> , 3x light rope, prefabricated to fit <b>MODUL-ROOM-U 2400/3000</b> (page 36/37)	set	
<b>LMODE9212</b>	<b>MODUL-ROOM-LI L-WW 2400/3000-P</b> , 2x light rope, prefabricated to fit <b>MODUL-ROOM-P 2400/3000</b> (page 36/37)	set	



Visit [www.luxelements.com](http://www.luxelements.com) for further information on MODUL.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-MODUL-ROOM-EH**

Packaging specifications on request

ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	UNIT	PRICE / UNIT €
<b>Seat heating</b> , factory-installed heating mat (280 W/m <sup>2</sup> , 230 V), with temperature sensor, incl. electronic temperature controller with time control (12 A, 230 V AC) for electric heating set (not suitable for damp rooms, protection class IP 30)			
LMODE9250	<b>MODUL-ROOM-EH 1800/2100</b> , for <b>MODUL-ROOM 1800/2100 L or R</b> (page 20/21)	set	
LMODE9251	<b>MODUL-ROOM-EH 1800/2400</b> , for <b>MODUL-ROOM-L 1800/2400 L or R</b> (page 22/23)	set	
LMODE9252	<b>MODUL-ROOM-EH 1800/2700</b> , for <b>MODUL-ROOM-L 1800/2700 L or R</b> (page 24/25)	set	
LMODE9253	<b>MODUL-ROOM-EH 2100/2100</b> , for <b>MODUL-ROOM-L 2100/2100 L or R</b> (page 26/27)	set	
LMODE9254	<b>MODUL-ROOM-EH 2100/2400</b> , for <b>MODUL-ROOM-L 2100/2400 L or R</b> (page 28/29)	set	
LMODE9255	<b>MODUL-ROOM-EH 2100/2700</b> , for <b>MODUL-ROOM-L 2100/2700 L or R</b> (page 30/31)	set	
LMODE9256	<b>MODUL-ROOM-EH 2100/3000</b> , for <b>MODUL-ROOM-L 2100/3000 L or R</b> (page 32/33)	set	
LMODE9257	<b>MODUL-ROOM-EH 2400/2400-U</b> , for <b>MODUL-ROOM-U 2400/2400</b> (page 34/35)	set	
LMODE9258	<b>MODUL-ROOM-EH 2400/2400-P</b> , for <b>MODUL-ROOM-P 2400/2400</b> (page 34/35)	set	
LMODE9259	<b>MODUL-ROOM-EH 2400/2700-U</b> , for <b>MODUL-ROOM-U 2400/2700</b> (page 36/37)	set	
LMODE9260	<b>MODUL-ROOM-EH 2400/2700-P</b> , for <b>MODUL-ROOM-P 2400/2700</b> (page 36/37)	set	
LMODE9261	<b>MODUL-ROOM-EH 2400/3000-U</b> , for <b>MODUL-ROOM-U 2400/3000</b> (page 38/39)	set	
LMODE9262	<b>MODUL-ROOM-EH 2400/3000-P</b> , for <b>MODUL-ROOM-P 2400/3000</b> (page 38/39)	set	






Visit [www.luxelements.com](http://www.luxelements.com) for further information on MODUL.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.

■ **PRODUCT SPECIFICATIONS – LUX ELEMENTS®-ADD-TE**

Packaging specifications on request

	ARTICLE-NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION	NOMINAL FORMATS/DIMENSIONS WIDTH x LENGTH x HEIGHT	UNIT	PRICE / UNIT €
	<b>LEADD1201</b>	<b>ADD-TE DE-TE 28</b> , support panel 150 x 150 x 30 mm with 28 mm hole for a steam inlet, in a hard foam support element 300 x 300 mm, including sealing sleeve 400 x 400 mm, single	300 x 300 x 50 mm	piece	
	<b>LEADD1203</b>	<b>ADD-TE DE-TE 45</b> , support panel 250 x 250 x 30 mm with 45 mm hole for a steam inlet, in a hard foam support element 300 x 300 mm, including sealing sleeve 400 x 400 mm, single	300 x 300 x 50 mm	piece	
	<b>LEADD1205</b>	<b>ADD-TE DE-TE 110</b> , support panel 260 x 260 x 8 mm (on front and rear side) with 110 mm hole for a steam inlet, including high-temperature insulating material, in a hard foam support element 300 x 300 mm, single	300 x 300 x 50 mm	piece	



Visit [www.luxelements.com](http://www.luxelements.com) for further information on ADD.

Data sheets, assembly instructions, test certificates and additional brochures under 'Downloads', videos under 'Practice' and on YouTube.